

Scientific Name	Common Name	Sun to Shade	Plant Soil Preference	Soil Moisture	Height Ft.	Color	Bloom
Forbs							
<i>Achillea millefolium</i>	Native Yarrow						
<i>Acorus calamus</i>	Sweet Flag						
<i>Agastache foeniculum</i>	Lavender Hyssop	Sun to partial shade	Sand loam	Dry to medium	1-3	Lavendar	August September
<i>Agastache scrophulariaefolia</i>	Purple Hyssop						
<i>Alisma subcordatum</i>	Common Water Plantain						
<i>Allium cernuum</i>	Nodding Pink Onion	Sun to partial shade	Sand loam clay	Medium to moist	1-2	Pink	August
<i>Anemone canadensis</i>	Meadow Anemone	Sun to partial shade	Sand loam clay	Medium to moist	1-2	Pink	May
<i>Anemone cylindrica</i>	Thimbleweed						
<i>Anemone patens</i>	Pasque Flower	Sun to partial shade	Sand loam	Dry	1-2	Lavendar	Early May
<i>Anemone virginiana</i>	Tall Anemone	Sun to partial shade	Sand loam	Dry	1-2	White	May
<i>Aquilegia canadensis</i>	Wild Columbine	Sun to Shade	Sand loam	Dry to medium	1-3	Red	May
<i>Asclepias incarnata</i>	Red Milkweed	Sun to partial shade	Sand loam clay	Medium to wet	3-5	Red	July August
<i>Asclepias tuberosa</i>	Butterfly Weed	Sun	Sand loam	Dry to medium	2-3	Orange	June July
<i>Aster azureus</i>	Sky-blue Aster						
<i>Aster drummondii</i>	Drummond's Aster						
<i>Aster ericoides</i>	Heath Aster	Sun	Sand loam	Dry to medium	1-3	White	September
<i>Aster laevis</i>	Smooth Blue Aster						
<i>Aster lateriflorus</i>	Calico Aster	Shade to semi shade	Sand loam clay	Dry to medium	2-3	White	September
<i>Aster macrophyllus</i>	Big-Leaved Aster	Shade to semi shade	Sand loam clay	Dry to medium	1-2	White	September
<i>Aster novae-angliae</i>	New England Aster	Sun to partial shade	Sand loam clay	Medium to moist	3-6	Purple	September
<i>Aster pilosus</i>	Frost Aster						
<i>Aster puniceus</i>	Swamp Aster						
<i>Aster sagittifolius</i>	Arrow-leaved Aster						
<i>Aster sericeus</i>	Silky Aster						
<i>Aster shortii</i>	Shorts Aster						
<i>Blephilia ciliata</i>	Downy Wood Mint						
<i>Blephilia hirsuta</i>	Hairy Wood Mint						
<i>Bottonia asteroides</i>	False Aster						
<i>Cacalia atriplicifolia</i>	Pale Indian Plantain						
<i>Campanula americana</i>	Tall Bellflower	Shade to semi shade	Sand loam clay	Medium to moist	2-5	Blue	
<i>Campanula rotundifolia</i>	Harebell						
<i>Chelone glabra</i>	Turtlehead						
<i>Coreopsis lanceolata</i>	Sand Coreopsis						
<i>Coreopsis palmata</i>	Prairie Coreopsis						
<i>Coreopsis tripteris</i>	Tall Coreopsis						
<i>Echinacea angustifolia</i>	Narrow Leaved Coneflower						
<i>Echinacea pallida</i>	Pale Purple Coneflower	Sun	Sand loam clay	Dry to medium	3-5	Purple	June July
<i>Echinacea purpurea</i>	Purple Coneflower	Sun to partial shade	Sand loam clay	Dry to medium	3-4	Purple	July August
<i>Eryngium yuccifolium</i>	Rattlesnake Master	Sun	Sand loam clay	Dry to medium	3-5	White	July August
<i>Eupatorium coelestinum</i>	Mist Flower						
<i>Eupatorium maculatum</i>	Spotted Joe Pye Weed	Sun to Shade	Sand loam clay	Medium	4-6	Purple	August
<i>Eupatorium perforatum</i>	Boneset	Sun to partial shade	Sand loam clay	Medium to wet	3-4	White	August September
<i>Eupatorium purpureum</i>	Purple Joe Pye Weed	Sun to partial shade	Sand loam clay	Moist to wet	4-6	Purple	August
<i>Gentiana andrewsii</i>	Bottle Gentian	Sun to partial shade	Sand loam clay	Moist to wet	1-2	Blue	
<i>Geranium maculatum</i>	Wild Geranium	Full sun to shade	Sand loam	Dry to medium	1-2	Lavendar	May June
<i>Geum triflorum</i>	Prairie Smoke	Sun	Sand loam	Dry to medium	0.5	Pink	May
<i>Helenium autumnale</i>	Sneezeweed	Sun to Shade	loam clay	Dry to wet	3-5	Yellow	August September

<i>Helianthus occidentalis</i>	Western Sunflower	Sun	Sand loam	Dry to medium	2-3	Yellow	August September
<i>Helianthus strumosus</i>	Woodland Sunflower	Full to partial sun	Sand loam	Dry to medium	3-5	Yellow	August September
<i>Helioopsis helianthoides</i>	Early Sunflower	Sun to partial shade	Sand loam clay	Dry to moist	3-6	Yellow	June to August
<i>Heuchera richardsonii</i>	Prairie Alum Root						
<i>Hypericum pyramidatum</i>	Great St. John's Wort						
<i>Iris versicolor</i>	Northern Blue Flag Iris	Full sun to partial shade	Sand loam clay	Wet	2-3	Blue	June July
<i>Iris virginica</i>	Southern Blue Flag Iris						
<i>Liatis aspera</i>	Rough Blazing Star	Sun	Sand loam	Dry to medium	2-5	Purple	July August
<i>Liatis cylindracea</i>	Dwarf Blazing Star						
<i>Liatis ligulistylis</i>	Meadow Blazing Star	Sun	Loam	Medium to moist	3-5	Purple	July August
<i>Liatis pycnostachya</i>	Prairie Blazing Star	Sun	Sand loam clay	Medium to moist	3-5	Purple	July August
<i>Liatis spicata</i>	Marsh Blazing Star	Sun	Sand loam clay	Medium to moist	3-6	Purple	July August
<i>Lobelia cardinalis</i>	Cardinal Flower	Full sun to partial shade	Sand loam	Moist to wet	2-5	Red	August
<i>Lobelia siphilitica</i>	Great Blue Lobelia	Full sun to partial shade	Sand loam clay	Medium to moist	1-4	Blue	July August
<i>Lythrum alatum</i>	Winged Loosestrife						
<i>Mimulus ringens</i>	Monkey Flower	Sun	Sand loam clay	Moist to wet	1-3	Purple	July August
<i>Monarda fistulosa</i>	Wild Bergamot	Sun to partial shade	Sand loam clay	Dry to moist	2-5	Lavendar	July August
<i>Monarda punctata</i>	Dotted Mint						
<i>Parthenium integrifolium</i>	Wild Quinine						
<i>Penstemon digitalis</i>	Smooth Penstemon	Sun to partial shade	Sand loam clay	Medium to moist	2-3	White	June
<i>Penstemon grandiflorus</i>	Large Flowered Penstemon	Sun to shade	Sand loam	Dry	1-3	Lavendar	May June
<i>Penstemon pallidus</i>	Pale Penstemon						
<i>Penthorum sedoides</i>	Ditch Stonecrop						
<i>Phlox pilosa</i>	Prairie Phlox	Sun to partial shade	Sand loam	Wet to dry	1-3	Lavendar	June August
<i>Physostegia virginiana</i>	Obedient Plant	Sun to partial shade	Sand loam clay	Medium to moist	1-2	Purple	August September
<i>Polemonium reptans</i>	Jacobs's Ladder	Sun to Shade	Loam	Medium	1-2	Lavendar	May June
<i>Potentilla arguta</i>	Prairie Cinquefoil						
<i>Pycnanthemum virginianum</i>	Mountain Mint						
<i>Ratibida pinnata</i>	Yellow Coneflower	Sun to partial shade	Sand loam clay	Dry to moist	3-6	Yellow	July August
<i>Rudbeckia fulgida</i>	Orange Coneflower						
<i>Rudbeckia hirta</i>	Black-eyed Susan	Sun to partial shade	Sand loam clay	Dry to moist	1-3	Yellow	August September
<i>Rudbeckia laciniata</i>	Wild Golden Glow						
<i>Rudbeckia subtomentosa</i>	Sweet Black-eyed Susan	Sun to partial shade	Sand loam clay	Medium to moist	4-6	Yellow	July August
<i>Rudbeckia triloba</i>	Brown-eyed Susan	Sun to partial shade	Sand loam	Medium to moist	2-5	Yellow	August September
<i>Ruellia humilis</i>	Wild petunia	Sun	Sand loam	Dry to medium	1-2	Lavendar	July August
<i>Sagittaria latifolia</i>	Common Arrowhead						
<i>Silene armeria</i>	Sweet William Catchfly						
<i>Silene regia</i>	Royal Catchfly	Sun	Loam	Medium	2-4	Red	July August
<i>Silene stellata</i>	Starry Campion						
<i>Silene virginica</i>	Fire Pink						
<i>Silphium integrifolium</i>	Rosin Weed						
<i>Silphium laciniatum</i>	Compass Plant	Sun	Sand loam clay	Dry to medium	3-10	Yellow	August
<i>Silphium perfoliatum</i>	Cup Plant	Sun to partial shade	Sand loam clay	Dry to medium	3-10	Yellow	August
<i>Silphium terebinthinaceum</i>	Prairie-dock	Sun	Sand loam clay	Medium to moist	3-10	Yellow	August
<i>Solidago flexicaulis</i>	Zigzag Goldenrod	Sun to partial shade	Sand loam clay	Dry to medium	2-4	Yellow	August
<i>Solidago graminifolia</i>	Grass-leaved Goldenrod						
<i>Solidago ohioensis</i>	Ohio Goldenrod	Sun	Sand loam clay	Medium to moist	3-4	Yellow	August
<i>Solidago nemoralis</i>	Old Field Goldenrod						
<i>Solidago riddellii</i>	Riddell's Goldenrod						

<i>Solidago rigida</i>	Stiff Goldenrod	Sun	Sand loam clay	Dry to medium	3-5	Yellow	August September
<i>Solidago sciaphila</i>	Cliff Goldenrod						
<i>Solidago ulmifolia</i>	Elm-Leaved Goldenrod						
<i>Sparganium eurycarpum</i>	Great Bur Reed						
<i>Thalictrum dasycarpum</i>	Purple Meadow Rue	Partial sun to shade	Sand loam clay	Dry to medium	3-5	Purple	May June
<i>Tradescantia ohimensis</i>	Spiderwort						
<i>Verbena hastata</i>	Blue Vervain	Full sun	Sand loam clay	Medium to wet	3-6	Blue	July August
<i>Verbena stricta</i>	Hoary Vervain	Full sun	Sand loam	Dry to medium	2-4	Blue	July August
<i>Vernonia fasciculata</i>	Ironweed	Sun to partial shade	Sand loam clay	Moist to wet	4-6	Scarlet	August
<i>Veronicastrum virginicum</i>	Culver's Root	Sun to Shade	Sand loam clay	Medium to moist	3-6	White	July August
<i>Viola pedatifida</i>	Prairie Violet						
<i>Zizia aptera</i>	Heart-Leaved Golden Alexander						
<i>Zizia aurea</i>	Golden Alexander	Sun to Shade	Sand loam clay	Medium to wet	1-3	Yellow	May June
Legumes							
<i>Amorpha canescens</i>	Leadplant	Sun	Sand loam	Dry to medium	2-3	Purple	July August
<i>Astragalus canadensis</i>	Canada Milk Vetch						
<i>Baptisia australis</i>	Blue Wild Indigo	Sun to partial shade	Sand loam clay	Medium	3-5	Blue	May
<i>Baptisia leucantha</i>	White Wild Indigo	Sun to partial shade	Sand loam clay	Medium to moist	3-5	White	June July
<i>Baptisia leucophaea</i>	Cream Wild Indigo	Sun to partial shade	Sand loam clay	Dry to medium	1-2	Cream	June July
<i>Cassia hebecarpa</i>	Wild Senna						
<i>Ceanothus americanus</i>	New Jersey Tea						
<i>Desmanthus illinoensis</i>	Illinois Bundle Flower						
<i>Desmodium canadense</i>	Canada Tick Trefoil	Sun to partial shade	Sand loam clay	Dry to wet mesic	2-4	Purple	July August
<i>Desmodium illinoense</i>	Illinois Tick Trefoil	Sun	Sand loam clay	Dry	4-6	Purple	July August
<i>Lespedeza capitata</i>	Round-headed Bush Clover						
<i>Lupinus perennis</i>	Wild Lupine						
<i>Petalostemum candidum</i>	White Prairie Clover						
<i>Petalostemum purpureum</i>	Purple Prairie Clover	Sun	Sand loam clay	Dry to medium	1-2	Purple	July August
<i>Tephrosia virginiana</i>	Goat's Rue						
Sedges							
<i>Carex bebbii</i>	Bebb's Sedge						
<i>Carex bicknellii</i>	Prairie Sedge						
<i>Carex brevicor</i>	Plains Oval Sedge						
<i>Carex comosa</i>	Bristly Sedge						
<i>Carex crinita</i>	Fringed Sedge						
<i>Carex frankii</i>	Frank's Sedge						
<i>Carex gravida</i>	Long Awned Bracted Sedge						
<i>Carex grayii</i>	Common Burr Sedge						
<i>Carex hystericina</i>	Bottlebrush Sedge						
<i>Carex lacustris</i>	Common Lake Sedge						
<i>Carex lupulina</i>	Common Hop Sedge						
<i>Carex normalis</i>	Spreading Oval Sedge						
<i>Carex pensylvanica</i>	Common Oak Sedge						
<i>Carex sartwellii</i>	Running marsh Sedge						
<i>Carex sprengei</i>	Long-Beaked Sedge						
<i>Carex stipata</i>	Fox Sedge	Sun to partial shade	Sand loam peat	Mesic to wet	1-3	Green	June July
<i>Carex stricta</i>	Tussock Sedge						
<i>Carex vulpinoidea</i>	Brown Fox Sedge						
Rush							

<i>Eleocharis acicularis</i>	Needle Spike Rush
<i>Juncus dudleyi</i>	Dudley's Rush
<i>Juncus effusus</i>	Common Rush
<i>Juncus tenuis</i>	Path Rush
<i>Juncus torreyi</i>	Torrey's Rush
<i>Scirpus acutus</i>	Hard Stern Bulrush
<i>Scirpus atrovirens</i>	Dark Green Bulrush
<i>Scirpus cyperinus</i>	Wool-grass
<i>Scirpus fluviatilis</i>	River Bulrush
<i>Scirpus pendulus</i>	Red Bulrush
<i>Scirpus pungens</i>	Three Square
<i>Scirpus validus</i>	Great Bulrush
Grasses	
<i>Andropogon gerardii</i>	Big Bluestem
<i>Andropogon scoparium</i>	Little Bluestem
<i>Bouteloua curtipendula</i>	Side-oats Grama
<i>Bromus ciliatus</i>	Fringed Brome
<i>Bromus kalmii</i>	Prairie Brome
<i>Calamagrostis canadensis</i>	Blue Joint Grass
<i>Cinna arundinacea</i>	Wood Reed Grass
<i>Dianthella americana</i>	Beak Grass
<i>Elymus canadensis</i>	Canada Wild Rye
<i>Elymus riparius</i>	Riverbank Wild Rye
<i>Elymus villosus</i>	Silky Wild Rye
<i>Elymus virginicus</i>	Virginia Wild Rye
<i>Glyceria canadensis</i>	Rattlesnake Grass
<i>Glyceria grandis</i>	Reed Manna Grass
<i>Glyceria striata</i>	Fowl Manna Grass
<i>Hystrix patula</i>	Bottlebrush Grass
<i>Koeleria cristata</i>	June Grass
<i>Leersia oryzoides</i>	Rice Cut Grass
<i>Panicum virgatum</i>	Switch Grass
<i>Sorghastrum nutans</i>	Indian Grass
<i>Spartina pectinata</i>	Prairie Cord Grass
<i>Sporobolus heterolepis</i>	Prairie Dropseed
<i>Stipa spartea</i>	Porcupine Grass

Sun	Sand loam clay	Dry to moist	5-8	August September
Sun	Sand loam	Dry to medium	2-3	August September
Sun	Sand loam	Dry to medium	2-3	July August
Sun	Sand loam clay	Dry to wet	3-5	June August
Partial sun to shade	Sand loam	Dry to medium	2-5	July August
Sun to partial shade	Sand loam clay	Dry to moist	3-6	August September
Sun to partial shade	Sand loam	Dry to medium	2-4	August September